

AMENDED  
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED

NEW PRIORITY DATE:  
Date of filing in State Engineer's Office ~~AUG 08 2002~~ AUG 30 2006  
Returned to applicant for correction SEP 17 2002  
Corrected application filed OCT 15 2002  
Map filed NOV 14 2002

\*\*\*\*\*

The applicant **Earline or George Downey** hereby make application for permission to change the **Point of diversion, manner of use and place of use. of a portion of water heretofore appropriated under Permit No. 24582 Certificate No. 7673**

\*\*\*\*\*

1. The source of water is **underground – Las Vegas Artesian Basin**
2. The amount of water to be changed **0.0055 second feet – 4 acre feet**
3. The water to be used for **Quasi-Municipal and domestic use**
4. The water heretofore permitted for **Quasi-Municipal**
5. The water is to be diverted at the following point **within the SW¼ of the SE¼ of Section 26, Township 19 South, Range 60 East, M.D.B. & M., or at a point from which the southeast corner of said Section 26 bears South 46°10'40" East, a distance at 2010.39 feet.**
6. The existing permitted point of diversion is located within **the NW¼ of the NW¼ of Section 10, Township 21 South, Range 61 East, M.D.B. & M., or at a point from which the NW corner of said Section 10 bears North 15°40' West a distance of 917.0 feet.**
7. Proposed place of use **within the SW¼ of the SE¼ of Section 26, Township 19 South, Range 60 East, M.D.B. & M.**
8. Existing place of use **within the NE¼ of the NE¼ of Section 9 and NW¼ of the NW¼ of Section 10, Township 21 South, Range 61 East, M.D.B. & M.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **Existing well.**
12. Estimated cost of works **\$17,300.00**
13. Estimated time required to construct works **8" diameter well with 1.5 H.P. pump and 1" water meter. Static water level is at 148 foot depth and pump is at 148 foot depth.**
14. Estimated time required to complete the application of water to beneficial use **5 year**
15. Remarks: **The intent is to subdivide the property in the future. Current zoning would allow the two existing lots (Lots 1 and 2, PM. 20-37) to be subdivided in half, yielding 4 - ½ residential acre lots.**

By **EARLINE DOWNEY**  
s/**Earline Downey**  
**5785 MAVERICK ST**  
**LAS VEGAS NV 89130**

Compared sg/sam lb/sam

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 24582, Certificate 7673 is issued subject to the terms and conditions imposed in said Permit 24582, Certificate 7673 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 69058 is granted to provide water service to four residential lots created from Clark County Assessor's Parcel Number (APN) 125-26-802-002 and 125-26-802-004.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0055 cubic feet per second, but not to exceed 3.98 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

June 23, 2004

Proof of completion of work shall be filed on or before:

July 23, 2004

Water must be placed to beneficial use on or before:

June 23, 2006

Proof of the application of water to beneficial use shall be filed on or before:

July 23, 2006

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 23rd day of June, A.D. 2003

  
State Engineer

Completion of work filed JAN 27 2004

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

Abrogated By: 71450 0.00276

~~CANCELLED OCT 19 2006 BECAUSE OF  
FAILURE OF APPLICANT TO COMPLY WITH THE  
PROVISIONS OF PERMIT~~

~~Tony Taylor P.E. STATE ENGINEER  
Can. Rescinded 1-12-07~~